	Application No.	Applicant(s)
Notice of Allowability	10/633,217	KENDALL, STEPHEN P.
	Examiner	Art Unit
	Minh-Chau T. Pham	1724
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in thing or other appropriate communice RIGHTS. This application is subjection is subjection.	s application. If not included ation will be mailed in due course. THIS
1. This communication is responsive to <u>12/13/04</u> .		
2. The allowed claim(s) is/are <u>1-5,7-14,17-19,21-25,27-29,3</u>	5,36,38,42-45,48,51,52,54,55 an	<u>d 59-62</u> .
3. \boxtimes The drawings filed on <u>01 August 2003</u> are accepted by the	e Examiner.	
 4. Acknowledgment is made of a claim for foreign priority up a) All b) Some* c) None of the: 1. Certified copies of the priority documents hav 2. Certified copies of the priority documents hav 3. Copies of the certified copies of the priority documents hav International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Application N ocuments have been received in	o this national stage application from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDON! THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a red MENT of this application.	eply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subn INFORMAL PATENT APPLICATION (PTO-152) which giv	nitted. Note the attached EXAMII res reason(s) why the oath or dec	NER'S AMENDMENT or NOTICE OF claration is deficient.
 CORRECTED DRAWINGS (as "replacement sheets") mu (a) ☐ including changes required by the Notice of Draftsper 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner Paper No./Mail Date 	son's Patent Drawing Review(F - 's Amendment / Comment or in t	he Office action of
Identifying indicia such as the application number (see 37 CFR and each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the di the header according to 37 CFR 1.	rawings in the front (not the back) of 121(d).
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MATERIA FOR THE DEPOSIT OF BIOLO	AL must be submitted. Note the GICAL MATERIAL.
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Sumn Paper No./Mai 08), 7. ⊠ Examiner's Am	I Date
U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04)	otice of Allowability	Part of Paper No./Mail Date 0414

Art Unit: 1724

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Peter L. Brewer on April 14, 2005.

The application has been amended as follows: Claim 36 depends on – claim 21 – instead of canceled "claim 30"; claim 48 depends on – claim 43 – instead of canceled "claim 43".

Allowable Subject Matter

Claims 1-5, 7-14 and 17-19 allowed.

The following is an examiner's statement of reasons for allowance: None of the prior arts discloses the lever member pivots in response to movement of the actuating member and the distal end of the lever member is selectively moved between a bearing position against the filter (when the actuating member is in its locked position) and a spaced apart position from the filter (when the actuating member is in its unlocked position).

Claims 21-25, 27-29, 35, 36, 38 and 42 allowed.

The following is an examiner's statement of reasons for allowance: None of the prior arts discloses the lever member connected to an actuating member inwardly of the plenum and has a distal end for bearing against a filter within the plenum, and the lever member is movable in a first plane between a first bearing position and a second

Art Unit: 1724

spaced-apart position relative to the filter and in a second plane between a first radially aligned position and a second radially non-aligned position also relative to the filter in response to movement of the actuating member.

Claims 43-45, 48, 51, 52, 54 and 55 allowed.

The following is an examiner's statement of reasons for allowance: None of the prior arts discloses a lever member having a first end, an opposite distal end, and an intermediate pivot point that pivots within the plenum, and when the locking member is in its unlocked position, the lever member moves between alignment and un-alignment positions upon moving the actuator member between its locking and unlocking positions for replacement of the filter within the plenum.

Claims 59-62 allowed.

The following is an examiner's statement of reasons for allowance: None of the prior arts discloses the step of radially moving the actuating member from the first radial position to the second radial position, thereby causing the distal end of the lever member to move from a radially unaligned position relative to the filter to a radially aligned position.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Minh-Chau T. Pham whose telephone number is (571)

Art Unit: 1724

272-1163. The examiner can normally be reached on Mon/Tues/Thur/Fri 7:00 am -5:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on (571) 272-1166. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patent Examiner

Art Unit: 1724 April 14, 2005